## **SOP-Calving**

SOP-calving describes the procedures that ensure best practice regarding calving.

The description includes

- Handling of highly pregnant cows with and without Para tuberculosis
- Calving signs
- Guidelines for fetal monitoring
- Difficult calving's
- Treatment of calves and calving cows with Para tuberculosis
- · Identification and registration of calving and calf
- Daily tasks around the calving box

All topics are illustrated with drawings and short texts that you can edit so it fits the conditions on your farm.

When you organize and implement SOP on your farm, it is an advantage to involve a Lean-certified cattle adviser. You'll find them on <u>www.leankvaeg.dk</u> Experience shows that an introductory course with the help of an expert is crucial for the output of SOP in the long run.

In the guide "Getting Started with SOP" (attached), there are some guidelines you can consider before you begin to adapt SOP for your work procedures.

Enjoy your SOP.





## Content

| 1a. Calving - move para TB close up cow                      | 3  |
|--|----|
| 1b. Calving - move close up cow                              | 5  |
| 2. Calving - minding close up cows                           | 6  |
| 3. Calving - signs of calving                                | 7  |
| 4. Calving - monitoring                                      | 8  |
| 5. Calving - Birth Assistance                                | 9  |
| 6. Calving - The calf's first minutes                        | 12 |
| 7a. Labeling and registration – monitoring the calving pen   | 14 |
| 7b. Labeling and registration – observation of calving boxes | 17 |
| 8. Calving - The cow after calving                           | 20 |
| 9. Calving - Calving pen                                     | 22 |



1

605

Inf.-grp

2# 9\* 2# 2#

## 1a. Calving - move para TB close up cow

|      |  | c para i d ciuse up cum   |
|------|--|---|
| 1.1a | Check cow's Para TB status<br>and days to expected<br>calving  | Dansk Kvæg         Malkekvæg         ParaTB Mælkefodringsliste           Bes-nr         CHR         Udskrevet 11.07.08 10.42 Side           Kontroldato         29.05.08         7           Lxo,         Kvæga fdelingen           76 58 75 00           Baseret på mælkeresultater i CHR         målt den 29.05.08  |
|      | If cow's status is Green →<br>OK   | Baseret på mælkeresultater i Urk     mail ten 25.0.06       Risiko = Høj: mælk bruges ikke til fodring af kvie-kajre; Høj kælvingsshygjene       Ckr-Dyrnr. ELISA     Forvige Kælv     Velsesnedgang       01290     0.3     0.0     5     14.08.08     sindsynligt       01473 afg 0.7     0.5     Megtet sandsynligt       01700     0.7     0.0     2     03.08.08     sandsynligt       01702     0.4     0.1     1     25.00.08     sadsynligt   |
|      | If cow's status is <mark>Yellow</mark> or<br>Red   | 01733         0.8         0.8         1         02.12.08         Meget sandsynligt           01741         0.5         0.5         1         11.10.08         Meget sandsynligt           01766         2         Sandsynligt         01769         0.8         0.9         1         27.07.08         Meget sandsynligt           01789         0.8         0.9         1         27.07.08         Meget sandsynligt           1864         0.3         0.1         5         17.10.08         Sandsynligt |
|      | Remove calf from the cow<br>immediately after birth  | 2018     0.3     4     Saldsynligt       2130     0.5     Meget sandsynligt       2132     0.3     0.0     21.07.08     Sandsynligt       2140     0.7     0.2     3     24.09.08     Miligt       2185     0.6     4     Heget sandsynligt       2200     0.3     4     Gandsynligt  |
| 1.2a | Move the cow into a clean<br>calving pen (2-3) days<br>prior to expected calving   |   |
|      | Green cow ➔<br>Calving pen No  |   |
|      | <mark>Yellow</mark> / <mark>Red</mark> cow →<br>calving pen No   |   |
|      | If the calving has started, do<br>not move the cow before<br>limbs of the calf are visible<br>The calving pen should be big<br>enough to perform birth<br>assistance without problems.<br>It should be possible to open<br>or move sides of the pen. |   |
| 1.3a | Provide feed and water   |   |



### 1.4a **Important**

Yellow /Red cow → remove calf immediately after birth

Discard all milk






#### 1b. Calving - move close up cow Check days to cow's 1.1b Dansk Kvæg Malkekvæg Forventede kælvninger Udskrevet 02.01.09 08.30 Side 2 expected calving, on Dk Nysrstorebesætninger, v. 37 40 50 00 Juli 2009 (Report expected calving) Ko nr/ Kvie nr Calv Sta-Kα Prap. Inseminering/Løbn. Køns-Para' EKM CTV Golddato kælvning Dato dag tus Tyr sort inf.g 32,2 13.05.09 25.09.08 V Exces 07.10.08 VH Silas 10.10.08 D Cresten 18.10.08 VH Rauno 0177 13 Ko 25.7 1 25.05.09 0 16 24 Ko Ko 31,1 27,4 28.05.09 05.06.09 0194 1 ō 0197 0 01649 26 20,6 1 07.06.09 20.10.08 Rakuuna Ko 37,8 30,0 07.06.09 10.06.09 20.10.08 Rakuuna 23.10.08 Rakuuna 0179 26 Ko 1 0 016 Move the cow into a clean 1.2b and dry calving pen \_\_\_\_\_ (2-3) days prior to expected calving If the calving has started, do not move the cow before limbs of the calf are visible The calving pen should be big enough to perform birth assistance without problems. It should be possible to open or move sides of the pen. Provide feed and water 1.3b











|     | 3. Calving - signs of calving  |  |  |  |  |  |
|-----|--|--|--|--|--|--|
| 3.1 | Tense udder<br>Remember:<br>10-20 % of first time calvers<br>do not show any signs before<br>calving   | A de la de l |  |  |  |  |
| 3.2 | <ul> <li>Cow lay down and get up</li> <li>The coll duy vides mer</li> <li>Stay alone</li> <li>Swollen soft vulva</li> <li>Soft pelvic tendons</li> </ul> This normally starts 12-24 hours before calving | e – køb hele SOP'en HER  |  |  |  |  |
|     | Tail whipping and the cow<br>shifts its weight from one<br>hind leg to another<br>Starts few hours before<br>calving   |  |  |  |  |  |





|     | 4. Calv  | ing - monitoring      |
|-----|--|-----------------------|
| 4.1 | Amnionic sack (water bag)<br>appears   | uii (BE               |
|     | Monitor the cow discreetly<br>and without stress every<br>(30) minutes   |                       |
|     | Do not remove the cow during<br>this phase (the cow can be<br>moved when 2 legs are<br>visible)  |                       |
| 4.2 | If the calf legs and head is not<br>visible within (3) where the same the water calf:<br>Examine the birth canal -<br>check that the calf is placed<br>correct or call<br>(Vet, colleague, owner)  | - køb hele SOP'en HER |
| 4.3 | Normal position of the calf<br>on birth<br>Hoofs, legs and head appear<br>Check up on the cow every<br>(20) minutes. If the<br>head is out, stay with the<br>cow<br>Stagnation in calving for<br>(20) minutes is a sign of<br>difficult calving<br>→ Give birth assistance<br>(SOP No 5) |                       |






|     | 5. Calving -   | Birth Assistance      |
|-----|--|-----------------------|
| 5.1 | Get clean bucket with water<br>and soap<br>Get gloves, birth coat, gel,<br>clean and disinfected pulling<br>chains   |                       |
| 5.2 | Wash the cow's vagina<br>opening in  | - køb hele SOP'en HER |
| 5.3 | Wash hands and arms<br>thoroughly with water and<br>soap<br>Put on clean gloves. Use rectal<br>gloves with nitrile gloves on<br>top.   |                       |
| 5.4 | The calving continues = do not pull. Total stagnation for 20-30 minutes → start pulling (Se item 5.6) The expulsion phase begins when legs are visible and takes up to 1 – 1.5 hours.1st calvers use 3-4 hours more time than other cows | And the And           |





| 5.5 | Make sure the calf is in the<br>correct position2 forelegs and head, or two 2<br>hind legs and tail visible in the<br>birth way?Yes = OK<br>No = Push calf inside a bit, pull<br>legs or head toward the<br>opening again. If necessary<br>call(vet, colleague,<br>phone)        |          |
|-----|--|----------|
| 5.6 | Place pulling chains above<br>the cvir du vide mere –<br>Alternately, pull the left and the<br>right chain - when the cow<br>bears down app. 1 cm<br>per pull.<br>Pause when the cow does<br>not bear down<br>Stagnation for 10 -15 minutes<br>and eyes not visible, contact<br> | <image/> |
| 5.7 | If the calf is stuck at the<br>hips, twist it sideways 45°C<br>and continue the pulling<br>Stagnation, call<br>(vet, colleague,<br>phone)  |          |



DLBR.


| 5.8  | Mechanical facilitator<br>Use a licensed facilitator that<br>pulls with max. 165kg<br>Pulling chains should be<br>cleaned and disinfected after<br>use.   |                    |
|------|---|--------------------|
| 5.9  | Place pulling chains above<br>the calific pastern joints<br>Vil du vide mere –<br>Attach the pulling chains to the<br>facilitator<br>Pause when the cow does<br>not bear down<br>Stagnation for 10 -15 minutes<br>and eyes not visible, contact<br> | købhele SOP'en HER |
| 5.10 | Notes   |                    |











# Vil du vide mere – køb hele SOP'en HER





# 7a. Labeling and registration – monitoring the calving pen – Para TB GRØN

| 7.1a | Monitor the calving pen<br>(4) times daily for new  |  |
|------|---|--|
|      | born calves   |  |
|      | First round in the stable   |  |
|      | Before lunch  | 2200 /11   |
|      | Before dinner   |  |
|      | Before closing time   | – køb hele SOP'en <u>HER</u>   |
| 7.2a | Ear tacking the calf  |  |
|      | Find ear tags and tong at   |  |
|      | (Shelf, the yellow box, at the office)  |  |
|      | The cow must <u>never leave</u><br>the calving pen before the<br>calf is ear tagged   |  |
| 7.3a | Register CKR-Number of calf and cow:  | and and a service and a servic |
|      | <ul> <li>In PDA/Kvikko</li> <li>At the time calender,</li> <li>On whiteboard near the calving pen</li> <li>With SMS</li> <li>On the scheme "Registration af kalve" (see table 1)</li> </ul> | 11/1/2 1 2<br>9  |





**DLBR**.

| 7.4a | If you are not sure<br>about what cow are the   |   |                     | stration<br>for cows                  |               |                           | ation betwo     | en    |
|------|---|---|---------------------|---------------------------------------|---------------|---------------------------|-----------------|-------|
|      | mother for the calf   | Cow-<br>number  | Calv-<br>numbe<br>r | Calving<br>date                       | Doubt         |                           | Progressi<br>ng |       |
|      | Note the expected correlation.  | 33333-<br>00101   | 00233               | 12.03.                                |               |                           |                 |       |
|      |   | 33333-<br>)0105   | 00234               | 17.03.                                |               |                           |                 |       |
|      | Observe on subsequent visits if the connection is   | 33333-<br>00109   | 00235               | 19.03.                                |               |                           |                 |       |
|      | right.  | 33333-<br><u>)0111</u>  | 00236               | 28.03.                                | ?             |                           |                 |       |
|      | Still unsure make a   |   | 00237               | 28.03.                                | ?             |                           |                 |       |
|      | pateVil du vide mere  | 33333-<br>20080 <b>K</b>  | øb h                | ele S                                 | SOP'          | en <mark>HE</mark>        | <u>ER</u>       |       |
| 7.5a | Register  |   |                     |                                       |               |                           | 1               |       |
|      | <ul> <li>Date of birth and sex</li> <li>In PDA/Kvikko</li> <li>At the time calender,</li> <li>On whiteboard near the calving pen</li> <li>with SMS</li> <li>on scheme "Registration of calves"<br/>(see table 1")</li> </ul>    | The second se | and and and         |                                       |               | 11 12 1 2 3<br>10 7 6 5 9 | An an           |       |
| 7.6a | Assess and registre<br>Describe calving process<br>and size of calf<br>• In PDA/Kvikko<br>• At the time calender,<br>• On whiteboard near the calving pen<br>• with SMS<br>• on scheme "Registrering af kalve"<br>(see tabel 1) |   |                     | A A A A A A A A A A A A A A A A A A A | Marrie Barris | Conceptor 1               |                 | - man |





## Vil du vide mere – køb hele SOP'en HER





|      |   | egistration – observation of<br>– Para TB Yellow or <mark>Red</mark> |
|------|---|--|
| 7.1b | The calving boxes are<br>observed (4) times<br>daily for new born calves<br>First visits in the stable              |  |
|      | Before lunch  |  |
|      | Last visits in the stable<br>Vil du vide mere   | e – køb hele SOP'en HER  |
| 7.2b | Calf of a Para TB Yellow<br>or <b>Red</b> cow is moved to a<br>calf pen immediately                                 |  |
| 7.3b | Ear tag the calf immediately after moving<br>Find ear tag and the tong at the (Bookcase, yellow box, at the office) |  |



| 7.4b | <ul> <li>Register CKR-Number for calf and mom</li> <li>In PDA/Kvikko</li> <li>At the time calender,</li> <li>On whiteboard near the calving pen</li> <li>with SMS</li> <li>on scheme "Registrering af kalve" (see tabel 1)</li> </ul> | Andrew and a second |
|------|---|--|
| 7.5b | Registri du vide mere<br>Date of birth and sex<br>• In PDA/Kvikko<br>• At the time calender,<br>• On whiteboard near the calving pen<br>• with SMS<br>• on scheme "Registrering af kalve"<br>(see tabel 1)                            | - køb hele SOP'en HER  |
| 7.6b | Assess and register<br>Calving process and size<br>- In PDA/Kvikko<br>- At the time calender,<br>- On whiteboard near the calving pen<br>- with SMS<br>- on scheme "Registrering af kalve"<br>(see tabel 1)                           |  |





| Size         |   |
|--------------|---|
| Progressing  |   |
| Condition    | Vil du vide mere – køb hele SOP'en <u>HER</u> |
| Doubt        |   |
| Calving date |   |
| Calv-number  |   |
| Cow-number   |   |



| 8. Calving - The cow after calving |   |   |
|------------------------------------|---|---|
| 8.1                                | Register on<br>(Paper, board, register, PC)<br>• Cow's CKR-No.<br>• Time of calving<br>• Calf's sex<br>• Calving procedure<br>• Calf's CKR-No.        | And |
| 8.2                                | pump with liters of water with (electrolyte)  | – køb hele SOP'en <u>HER</u>            |
|                                    | Avoid milk fever and give<br>energy supplement to<br>(2nd and older cows)<br>After calving give<br>(Type, volume)<br>Plus water and straw feed        |   |
| 8.4                                | Leave the cow in the<br>calving pen, and monitor its<br>condition every (1) hour<br>If you are in doubt, contact:<br>(Manager, Vet, colleague, phone) |   |





